

“DOG PATCH”

Quilt Design by Larene Smith

Featuring the Patches the Dog Collection by Hoffman California Fabrics



J8657 Denim #65



J8658 Sky #16



J8659 Denim #65



J9000 Red #5




J9000 Denim #65



J9000 Sky #16



J9000 Aqua #41



J9000 White #3

To see more quilts designed by Larene Smith go to www.thequiltedbutton.com

Free pattern available from www.HoffmanFabrics.com

Quilt Size 58" x 76"

Style	
J8657 Denim #65	1 3/8 yards
J8658 Sky #16	3/4 yard
J8659 Denim #65	7/8 yard
J9000 Red #5	1 1/8 yard
J9000 Denim #65	1 1/4 yard*
J9000 Sky #16	3/8 yard
J9000 Aqua #41	3/8 yard
J9000 White #3	3/8 yard
Backing (Your favorite "Patches the Dog" Fabric)	4 3/4 yards

*Includes binding yardage.

HOFFMAN FABRICS
CALIFORNIA-INTERNATIONAL

“DOG PATCH”

Quilt Design by Larene Smith

Featuring the Patches the Dog Collection by Hoffman California Fabrics



J8657 Khaki #49



J8658 Sand #62



J8659 Saddle #372



J9000 Brown #6



J9000 Coffee #53



J9000 Sand #62



J9000 Orange #13



J9000 Gray #48

To see more quilts designed by Larene Smith go to www.thequiltedbutton.com

Free pattern available from www.HoffmanFabrics.com

Quilt Size 58" x 76"

Style	
J8657 Khaki #49	1 3/8 yards
J8658 Sand #62	3/4 yard
J8659 Saddle #372	7/8 yard
J9000 Brown #6	1 1/8 yard
J9000 Coffee #53	1 1/4 yard*
J9000 Sand #62	3/8 yard
J9000 Orange #13	3/8 yard
J9000 Gray #48	3/8 yard
Backing (Your favorite "Patches the Dog" Fabric)	4 3/4 yards

*Includes binding yardage.

HOFFMAN FABRICS
CALIFORNIA-INTERNATIONAL

Dog Patch


Hoffman California Fabrics – Patches the Dog

Finished Quilt Size: 58" x 76"


© 2011 – Copyright – All Rights Reserved

Design and Instruction by Larene Smith

The Quilted Button, Mission Viejo, CA



Khaki



Denim

Fabric Requirements

	Khaki	Yardage	Denim
Fabric A	J8567-49 Khaki	1-3/8 Yards	J8659-65 Denim
Fabric B	J8658-62 Sand	3/4 Yard	J8659-16 Sky
Fabric C	J8659-372 Saddle	7/8 Yard	J8659-65 Denim
Fabric D	J9000-6 Brown	1-1/8 Yards	J9000-5 Red
Fabric E	J9000-53 Coffee	1-1/4 Yards	J9000-65 Denim
Fabric F	J9000-48 Gray	3/8 Yard	J9000-3 White
Fabric G	J9000-13 Orange	3/8 Yard	J9000-41 Aqua
Fabric H	J9000-62 Sand	3/8 Yard	J9000-16 Sky

Backing, Batting and Binding – The 3 B's

Backing – 4-3/4 Yards

Batting – 64" x 84"

Binding (Included Above)

Khaki (J9000-53 Coffee)

Denim (J9000-65 Denim)

Special Notions

8-1/2" Square Ruler, 6 1/2" x 24 1/2" Ruler, Rotary Cutter, Cutting Mat, Scissors, Straight Pins, Thread to match fabric, Iron and Pressing Mat, Temporary Label for Fabric, Sewing Machine in good working condition.

General Information

- 🏠 All seams are sewn with a 1/4" seam allowance.
- 🏠 Pre-wash and press with spray starch before cutting.
- 🏠 WOF = Width of Fabric – Instructions based on “Cut-A-Little Sew-A-Little” to decrease confusion.
- 🏠 Press seams open as much as possible to decrease bulk.
- 🏠 Finished Block measures 18" x 24".
- 🏠 Make a total of NINE blocks.

Instructions



Step 1 – Preparing the Fabric

1. Fabric A (Patches) – Cut (6) strip at 8" x WOF – Sub-cut into (36) 8" x 5-3/4" rectangles – Label “Fabric A”.
2. Fabric B (Patches Outline) – Cut (3) strip at 8" x WOF – Sub-cut into (36) 8" x 2" rectangles – Label “Fabric B1” ---- AND ---- (36) 8" x 1-1/4" rectangles – Label “Fabric B2”.
3. Fabric C (Paws) – Cut as follows:
 - a. (1) strip at 8" x WOF – Sub-cut into (18) 8" x 2" rectangles – Label “Fabric C1”
 - b. (3) strips at 5-3/4" x WOF – Sub-cut into (54) 5-3/4" x 2" rectangles – Label “Fabric C2”
 - c. (1) strip at 2" x WOF – Sub-cut into (18) 2" x 1-1/4" rectangles – Label “Fabric C3”
4. Fabric D (Brown/Red) – Cut as follows:
 - a. (2) strips at 8" x WOF – Sub-cut into (36) 8" x 1-1/4" rectangles – Label “Fabric D1”
 - b. (4) strips at 5-3/4" x WOF – Sub-cut into (108) 5-3/4" x 1-1/4" rectangles – Label “Fabric D2”
 - c. From the balance of the fabric cut (90) 2" x 1-1/4" rectangles – Label “Fabric D3”
5. Fabric E (Coffee/Denim) – Cut (15) strips at 1-1/2" x WOF – Sub-cut into (6) 1-1/2" x 24-1/2" rectangles (Vertical Sashing) and (6) 1-1/2" x 18-1/2" rectangles (Horizontal Sashing) --- Keep (7) 1-1/2" strips for the OUTER SASHING.
6. Fabric E (Coffee/Denim) – Cut (8) strips at 2-1/2" x WOF for the BINDING.
7. Fabric F (Gray/White) – Cut as follows:
 - a. (4) strips 2" x WOF – Sub-cut into (108) 2" x 1-1/4" rectangles – Label “Fabric F1”
 - b. (4) strips at 1-1/4" x WOF – Sub-cut into (108) 1-1/4" squares – Label “Fabric F2”
8. Fabric G (Orange/Aqua) – Cut as follows:
 - a. (2) strips 2" x WOF – Sub-cut into (27) 2" squares – Label “Fabric G1”
 - b. (4) strips at 1-1/4" x WOF – Sub-cut into (108) 1-1/4" squares – Label “Fabric G2”
 - c. From the balance of the fabric cut on “8a” cut (6) 1-1/2" squares for the CORNERSTONES.
9. Fabric H (Sand/Sky) – Cut as follows:
 - a. (3) strips at 2" x WOF – Sub-cut into (54) 2" squares – Label “Fabric H1”
 - b. (2) strip at 2" x WOF – Sub-cut into (54) 2" x 1-1/4" rectangles – Label “Fabric H2”



Step 2 – Outer Corners – Example A – Make (36)

10. Sew (1) Fabric G2 to (1) Fabric F1 at the 1-1/4" edge to make a new rectangle at 1-1/4" x 2-3/4" – Make (2) – Set A.
11. Sew (1) Fabric D3 to (1) Fabric H1 at the 2" edge to make a new rectangle at 2" x 2-3/4" – Make (1) – Set B.
12. Sew (1) of Set A to the top and bottom of Set B to finish the OUTER CORNER unit at 2-3/4" x 3-1/2" rectangle.
13. Repeat from No. 10 until completed a total of (36) units – label and set aside for use later.




Step 3 – Outer Sides Middle – Example B – Make (18)

14. Sew (1) Fabric G2 to (1) Fabric F1 at the 1-1/4" edge to make a new rectangle 1-1/4" x 2-3/4" – Make (2) – Set C.
15. Sew (1) Fabric C3 to (1) Fabric H1 at the 2" edge to make a new rectangle at 2" x 2-3/4" – Make (1) – Set D.
16. Sew (1) of Set C to the top and bottom of Set D to finish the OUTER SIDES MIDDLE unit at 2-3/4" x 3-1/2" rectangle.
17. Repeat from No. 14 until completed a total of (18) units – label and set aside for use later.


Step 4 – Outer Sides – Example C – Make (36)

18. Sew (1) Fabric D1 to (1) Fabric B1 at the 8" edge to make a new rectangle at 8" x 2-3/4".
19. Repeat No. 18 until completed a total of (36) units – label and set aside for use later.




Step 5 – Outer Left and Right Columns – Make (18)

20. Using the FINISHED BLOCK on the previous page so the OUTER LEFT and RIGHT sides together as follows. They are exactly the same except will rotate with sewing to the RIGHT side.
21. Sew as follows from TOP to BOTTOM to make a new rectangle at 24-1/2" x 2-3/4":
 - a. CORNER
 - b. OUTER SIDE
 - c. OUTER SIDES MIDDLE
 - d. OUTER SIDE
 - e. CORNER
22. Sew a total of (18) columns – label and set aside for use later.



Step 6 – Center Column – Make (9)

23. Top-Middle-Bottom Squares – Example D:
 - a. Sew (1) Fabric F2 to each 1-1/4" edge of (1) Fabric D3 to make a new rectangle at 1-1/4" x 3-1/2" – Make (72) – SET D.
 - b. Sew (1) Fabric H2 to each 2" edge of (1) Fabric G1 to make a new rectangle at 2" x 3-1/2" – Make (27) – SET E.
 - c. Sew (1) of SET D to the top and bottom of SET E to make a new square 3-1/2".
 - d. Make a total of (27) units.
24. Middle Rectangles – Example E:
 - a. Sew (1) Fabric B2 to (1) Fabric C1 at the 8" edge to make a new rectangle at 3-1/2" x 8".
 - b. Make a total of (18) units.
25. Sew the Center Column together to make a new rectangle at 3-1/2" x 24-1/2".
 - a. Refer to the FINISHED BLOCK on the previous page.
 - b. From top to bottom sew as follows:
 - i. SQUARE
 - ii. RECTANGLE
 - iii. SQUARE
 - iv. RECTANGLE
 - v. SQUARE
26. Sew a total of (9) Center Columns – label and set aside for use later.



Step 7 – Main Columns – Make (18)

27. Sew (1) Fabric D2 to each side of Fabric C2 at the 5-3/4" edge to make a new rectangle at 5-3/4" x 3-1/2" – Make (54) units – Example F.
28. Sew the Main Columns together to make a new rectangle at 5-3/4" x 24-1/2".
 - a. Refer to the FINISHED BLOCK on the previous page.
 - b. From top to bottom sew as follows at the 5-3/4" edge:
 - i. RECTANGLE
 - ii. Fabric A (Patches)
 - iii. RECTANGLE
 - iv. Fabric A (Patches)
 - v. RECTANGLE
29. Sew a total of (18) Main Columns – label and set aside for use later.



Step 8 – Sewing the Block Together

30. Sew the COLUMNS together as follows at the 24-1/2" edge to finish the block at 18-1/2" x 24-1/2":
 - a. OUTER LEFT
 - b. MAIN
 - c. CENTER
 - d. MAIN
 - e. OUTER RIGHT (Remember to rotate.)
31. Make a total of (9) Blocks – See Finished Block on previous page.

Step 9 – Adding the SASHING

32. Refer to the cover picture.
33. Fabric E 1-1/2" x 24-1/2" rectangles for the VERTICAL sashing.
34. Fabric E 1-1/2" x 18-1/2" rectangles for the HORIZONTAL sashing.
35. Fabric G 1-1/2" squares for the CORNERSTONES.
36. Sew the rows together as follows from left to right:
 - a. Rows 1, 3 and 5 – Block – VERTICAL – Block – VERTICAL – Block
 - b. Rows 2 and 4 – HORIZONTAL – CORNERSTONE – HORIZONTAL – CORNERSTONE – HORIZONTAL
37. Sew the rows together from top to bottom beginning with ROW 1.
38. Using Fabric E 1-1/2" strips sew on the last border to finish the quilt top.

Step 9 – Finishing the Quilt

39. Layer the backing, batting and quilt top and quilt as desired.
40. Using Fabric E 2-1/2" strips sew on the binding to finish the quilt.

Jump for Joy and Sing a Song for a quilt well done!